

Градуировочная таблица 50П, 100П ($W_{100}=1,391$)

температура	сопротивление ТСП, Ом		температура	сопротивление ТСП, Ом		температура	сопротивление ТСП, Ом	
	50П	100П		50П	100П		100П	50П
-260	0,200	0,40	30	55,930	111,86	200	88,525	177,05
-250	0,510	1,02	40	57,890	115,78	210	90,390	180,78
-200	8,650	17,30	50	59,850	119,70	220	92,250	184,50
-150	19,390	38,78	60	61,805	123,61	230	94,105	188,21
-100	29,820	59,64	70	63,750	127,50	240	95,950	191,90
-90	31,870	63,74	80	65,690	131,38	250	97,795	195,59
-80	33,915	67,83	90	67,625	135,25	260	99,640	199,28
-70	35,950	71,90	100	69,555	139,11	270	101,460	202,92
-60	37,980	75,96	110	71,480	142,96	280	103,285	206,57
-50	40,000	80,00	120	73,395	146,79	290	105,105	210,21
-40	42,015	84,03	130	75,305	150,61	300	106,915	213,83
-30	44,020	88,04	140	77,215	154,43	350	115,890	231,78
-20	46,020	92,04	150	79,115	158,23	400	124,720	249,44
-10	48,010	96,02	160	81,010	162,02	450	133,405	266,81
0	50,000	100,00	170	82,895	165,79	500	141,945	283,89
10	51,980	103,96	180	84,780	169,56	550	150,335	300,67
20	53,960	107,92	190	86,655	173,31	600	158,585	317,17